



A60 / A65 / A70

High-efficiency LEDs that replace conventional light bulbs. Due to its low consumption and long service life, significant savings can be achieved. Available in four color temperatures and five wattages.



EAN	product code	color temp.	lumen	watt	pcs/#
5999562284926	ABG27WW-8W-AP	3000K	640lm	8W	100
5999562284940	ABG27NW-8W-AP	4000K	650lm	8W	100
5999562289082	ABG27CW-8W-AP	6400K	660lm	8W	100
5999562284094	ABG27EW-10W-AP	2700K	800lm	10W	100
5999562282427	ABG27WW-10W-AP	3000K	810lm	10W	100
5999562282434	ABG27NW-10W-AP	4000K	820lm	10W	100
5999562289105	ABG27CW-10W-AP	6400K	830lm	10W	100
5999562284117	ABG27EW-12W-AP	2700K	1050lm	12W	100
5999562282441	ABG27WW-12W-AP	3000K	1060lm	12W	100
5999562282458	ABG27NW-12W-AP	4000K	1070lm	12W	100
5999562289129	ABG27CW-12W-AP	6400K	1080lm	12W	100



E27



220-240V



A+ energy class



25.000h



240°



non-dimmable

0sec

instant full light



Ø60mm × 115mm

EAN	product code	color temp.	lumen	watt	pcs/#
5999562285404	ABG27WW-15W-AP	3000K	1350lm	15W	100
5999562285411	ABG27NW-15W-AP	4000K	1360lm	15W	100
5999562289143	ABG27CW-15W-AP	6400K	1370lm	15W	100



E27



220-240V



A+ energy class



25.000h



240°



non-dimmable

0sec

instant full light



Ø65mm × 128mm

EAN	product code	color temp.	lumen	watt	pcs/#
5999097913506	ABG27WW-18W-AP	3000K	1780lm	18W	100
5999097913520	ABG27NW-18W-AP	4000K	1790lm	18W	100
5999097913544	ABG27CW-18W-AP	6400K	1800lm	18W	100



E27



220-240V



A+ energy class



25.000h



240°



non-dimmable

0sec

instant full light



Ø70mm × 135mm



A60 twin pack



Warm and neutral white color temperature globes are available with E27 socket, 12W wattage in economic twin packs.



EAN	product code	color temp.	lumen	watt	pcs/#
5999097908465	ABG27WW-12W-APTP	3000K	1060lm	12W	100
5999097908489	ABG27NW-12W-APTP	4000K	1070lm	12W	100



E27



220-240V



A+ energy class



25.000h



240°



non-dimmable

0sec

instant full light



Ø60mm x 115mm

A65 dimmable



12W E27 socket bulbs are also available in dimmable versions helping to create the desired atmosphere in every room with adjustable light output. Only applicable where compatible LED controller is installed.



EAN	product code	color temp.	lumen	watt	pcs/#
5999562288009	ABG27WW-12W-APD	3000K	1060lm	12W	100
5999562288023	ABG27NW-12W-APD	4000K	1070lm	12W	100



E27



220-240V



A+ energy class



25.000h



240°



dimmable

0sec

instant full light



Ø65mm x 128mm



LED MINI GLOBE

LED replacements of traditional bulbs in smaller edition and in decorative shape helping in situations where design matters. Perfect solution for everyday household use and for ceiling, wall or standing lamps with either E14 or E27 sockets. Available in four color temperatures, 4W and 6W wattages.



B45



EAN	product code	color temp.	lumen	watt	pcs/#
5999562285305	ABMB14WW-6W	3000K	460lm	6W	100
5999562285282	ABMB14NW-6W	4000K	470lm	6W	100
5999562289044	ABMB14CW-6W	6400K	480lm	6W	100



E14



220-240V



A+ energy class



25.000h



160°



non-dimmable

0sec

instant full light



Ø45mm×105mm

EAN	product code	color temp.	lumen	watt	pcs/#
5999562285343	ABMB27WW-6W	3000K	460lm	6W	100
5999562285329	ABMB27NW-6W	4000K	470lm	6W	100
5999562289068	ABMB27CW-6W	6400K	480lm	6W	100



E27



220-240V



A+ energy class



25.000h



160°



non-dimmable

0sec

instant full light



Ø45mm×105mm



G45



EAN	product code	color temp.	lumen	watt	pcs/#
5999562285381	ABMG27WW-4W	3000K	450lm	4W	100
5999562285367	ABMG27NW-4W	4000K	460lm	4W	100



E27



220-240V



A+ energy class



25.000h



160°



non-dimmable

0sec

instant full light



Ø45mm × 82mm

EAN	product code	color temp.	lumen	watt	pcs/#
5999562284131	ABMG14EW-6W	2700K	450lm	6W	100
5999562285220	ABMG14WW-6W	3000K	460lm	6W	100
5999562285206	ABMG14NW-6W	4000K	470lm	6W	100
5999562289006	ABMG14CW-6W	6400K	480lm	6W	100



E14



220-240V



A+ energy class



25.000h



160°



non-dimmable

0sec

instant full light



Ø45mm × 82mm

EAN	product code	color temp.	lumen	watt	pcs/#
5999562286647	ABMG27EW-6W	2700K	450lm	6W	100
5999562285268	ABMG27WW-6W	3000K	460lm	6W	100
5999562285244	ABMG27NW-6W	4000K	470lm	6W	100
5999562289020	ABMG27CW-6W	6400K	480lm	6W	100



E27



220-240V



A+ energy class



25.000h



160°



non-dimmable

0sec

instant full light



Ø45mm × 82mm



normal

LED replacement for traditional candle shaped bulbs with identical size and decorative look. Available in four color temperatures and two wattages.



EAN	product code	color temp.	lumen	watt	pcs/#
5999562285145	ABC14WW-4W	3000K	310lm	4W	100
5999562285121	ABC14NW-4W	4000K	320lm	4W	100
5999562284155	ABC14EW-6W	2700K	450lm	6W	100
5999562285183	ABC14WW-6W	3000K	460lm	6W	100
5999562285169	ABC14NW-6W	4000K	470lm	6W	100
5999562289167	ABC14CW-6W	6400K	480lm	6W	100



E14



220-240V



A+ energy class



25.000h



160°



non-dimmable

0sec

instant full light



Ø37mm × 100mm

EAN	product code	color temp.	lumen	watt	pcs/#
5999562286609	ABC27WW-6W	3000K	460lm	6W	100
5999562286623	ABC27NW-6W	4000K	470lm	6W	100
5999562289181	ABC27CW-6W	6400K	480lm	6W	100



E27



220-240V



A+ energy class



25.000h



160°



non-dimmable

0sec

instant full light



Ø37mm × 100mm



twin pack

6W E14 socket bulbs are available in economic twin packs in 2 different color temperatures.



EAN	product code	color temp.	lumen	watt	pcs/#
5999562288122	ABC14WW-6W-APTP	3000K	460lm	6W	100
5999562288146	ABC14NW-6W-APTP	4000K	470lm	6W	100



E14



220-240V



A+ energy class



25.000h



160°



non-dimmable

0sec

instant full light



Ø37mm × 100mm



LED CANDLE

flame shape



The 6W warm white color temperature candle bulbs are available in a unique, flame shaped form as well.



EAN	product code	color temp.	lumen	watt	pcs/#
5999562288245	ABC14WW-6W-FL	3000K	460lm	6W	100
5999562288269	ABC14NW-6W-FL	4000K	470lm	6W	100

E14

220-240V

A+ energy class

25.000h

160°

non-dimmable

0sec
instant full light

Ø37mm x 125mm





SPECIAL LED

Uniquely designed LED light sources recommended for light fixtures and smaller lamps too due to their practical design. Available in E14 and E27 sockets, in three color temperatures and various wattages.



T37



EAN	product code	color temp.	lumen	watt	pcs/#
5999097913445	ABBSE14WW-7W	3000K	620lm	7W	100
5999097913469	ABBSE14NW-7W	4000K	630lm	7W	100
5999097913483	ABBSE14CW-7W	6400K	640lm	7W	100

E14
 220-240V
 A+ energy class
 25.000h
 220°
 non-dimmable

0sec
instant full light

Ø37mm × 115mm

EAN	product code	color temp.	lumen	watt	pcs/#
5999097913186	ABBSE27WW-9W	3000K	800lm	9W	100
5999097913209	ABBSE27NW-9W	4000K	810lm	9W	100
5999097913223	ABBSE27CW-9W	6400K	820lm	9W	100

E27
 220-240V
 A+ energy class
 25.000h
 220°
 non-dimmable

0sec
instant full light

Ø37mm × 115mm



T45



EAN	product code	color temp.	lumen	watt	pcs/#
5999097913308	ABBSE27WW-15W	3000K	1480lm	15W	100
5999097913322	ABBSE27NW-15W	4000K	1490lm	15W	100
5999097913346	ABBSE27CW-15W	6400K	1500lm	15W	100

E27
 220-240V
 A+ energy class
 25.000h
 220°
 non-dimmable

0sec
instant full light

Ø45mm × 139mm



SPECIAL LED

R50



LED replacement for classic reflectors with E14 socket where directed light matters providing significant energy saving compared to the traditional solutions. Available in 2 different color temperature. Recommended for table and built-in lamps or wall mounts.



EAN	product code	color temp.	lumen	watt	pcs/#
5999562286524	ABR50WW-6W	3000K	460lm	6W	100
5999562286548	ABR50NW-6W	4000K	470lm	6W	100

E14

220-240V

A+ energy class

25.000h

160°

non-dimmable

0sec
instant full light

Ø50mm x 88mm

R63



LED replacement for classic reflectors with E27 socket where directed light matters providing significant energy saving compared to the traditional solutions. Available in 2 different color temperature. Recommended for table and built-in lamps, wall mounts or even main lighting.



EAN	product code	color temp.	lumen	watt	pcs/#
5999562286562	ABR63WW-10W	3000K	810lm	10W	100
5999562286586	ABR63NW-10W	4000K	820lm	10W	100

E27

220-240V

A+ energy class

25.000h

160°

non-dimmable

0sec
instant full light

Ø 63mm x 102mm



G4, 2.5W



Replacement for compact sized halogen G4 bulbs in silicone housing. The 12V product is available in 2 different color temperatures with 2.5W wattage. Suitable for table lamps and small-sized lighting fixtures.



EAN	product code	color temp.	lumen	watt	pcs/#
5999097909820	ABG4WW-2.5W	3000K	200lm	2.5W	500
5999097909844	ABG4NW-2.5W	4000K	210lm	2.5W	500

- G4
- AC/DC 12V
- A+ energy class
- 25.000h
- 160°
- non-dimmable
- 0sec
instant full light
- Ø15mm x 42mm



LED solution to replace G9 halogen bulbs. Significant energy savings mainly during intensive use. Available in three color temperatures and three wattages. Recommended for wall and ceiling lamps or as a decorative element.



G9, 2.5W

EAN	product code	color temp.	lumen	watt	pcs/#
5999562280232	ABG9WW-2.5W	3000K	180lm	2,5W	500
5999562280300	ABG9NW-2.5W	4000K	190lm	2,5W	500

- G9
- 220-240V
- A+ energy class
- 25.000h
- 160°
- non-dimmable
- 0sec
instant full light
- Ø16mm x 48mm



G9, 4.5W



EAN	product code	color temp.	lumen	watt	pcs/#
5999562280195	ABG9WW-4.5W	3000K	400lm	4,5W	500
5999562280218	ABG9NW-4.5W	4000K	410lm	4,5W	500
5999097911083	ABG9CW-4.5W	6400K	420lm	4.5W	500

- G9
- 220-240V
- A+ energy class
- 25.000h
- 220°
- non-dimmable
- 0sec
instant full light
- Ø15mm x 60mm



SPECIAL LED

G9, 7W



EAN	product code	color temp.	lumen	watt	pcs/#
5999097909783	ABG9WW-7W	3000K	640lm	7W	500
5999097909806	ABG9NW-7W	4000K	660lm	7W	500
5999097911106	ABG9CW-7W	6400K	680lm	7W	500

G9
 220-240V
 A+ energy class
 25.000h
 220°
 non-dimmable
 0sec instant full light
 Ø18mm x 73mm

JD E14, 4.5W



Replacement for traditional bulbs with E14 socket. Recommended for devices like dehumidifiers or small desk lamps where regular E14 types are not applicable due to small space or esthetic reasons.



EAN	product code	color temp.	lumen	watt	pcs/#
5999097909868	ABJD14WW-4.5W	3000K	400lm	4,5W	500
5999562280065	ABJD14NW-4.5W	4000K	410lm	4,5W	500
5999097911120	ABJD14CW-4.5W	6400K	420lm	4,5W	500

E14
 220-240V
 A+ energy class
 25.000h
 220°
 non-dimmable
 0sec instant full light
 Ø15mm x 55mm



LED FILAMENT

The filament bulbs came into existence as a combination of the conventional style and modern technology. The newest generation of these bulbs are available with different coating - milky or frosted - to ensure numberless options for a more widespread usage. The 360° light distribution is more even due to these coatings so a traditional light quality can be achieved without compromises and less energy consumption. Available in globe, candle and mini globe forms, with two colour temperatures and 4W-12W wattages.



normal globe



EAN	product code	color temp.	lumen	watt	pcs/#
5999562285886	ABLFG27WW-6W	2700K	640lm	6W	100
5999562285862	ABLFG27NW-6W	4000K	650lm	6W	100
5999562285923	ABLFG27WW-8W	2700K	800lm	8W	100
5999562285909	ABLFG27NW-8W	4000K	810lm	8W	100
5999097909622	ABLFG27WW-10W	2700K	1040lm	10W	100
5999097909608	ABLFG27NW-10W	4000K	1050lm	10W	100
5999562281178	ABLFG27WW-12W	2700K	1190lm	12W	100
5999562281154	ABLFG27NW-12W	4000K	1200lm	12W	100

E27	220-240V	A+ energy class	15.000h	360°	non-dimmable	0sec instant full light	Ø60mm x 108mm
-----	----------	-----------------	---------	------	--------------	----------------------------	---------------

EAN	product code	color temp.	lumen	watt	pcs/#
5999097909066	ABLFG27WW-10W-D	2700K	1040lm	10W	100

E27	220-240V	A+ energy class	15.000h	360°	dimmable	0sec instant full light	Ø60mm x 108mm
-----	----------	-----------------	---------	------	----------	----------------------------	---------------



LED FILAMENT

frosted globe



EAN	product code	color temp.	lumen	watt	pcs/#
5999097909509	ABLFG27WW-8W-FR	2700K	760lm	8W	100
5999097909486	ABLFG27NW-8W-FR	4000K	770lm	8W	100
5999097910000	ABLFG27WW-10W-FR	2700K	990lm	10W	100
5999097909981	ABLFG27NW-10W-FR	4000K	1000lm	10W	100



E27



220-240V



A+ energy class



25.000h



360°



non-dimmable

0sec

instant full light

milky globe



EAN	product code	color temp.	lumen	watt	pcs/#
5999097907628	ABLFG27WW-8W-M	2700K	800lm	8W	100
5999097907604	ABLFG27NW-8W-M	4000K	810lm	8W	100
5999097909660	ABLFG27WW-10W-M	2700K	930lm	10W	100
5999097909646	ABLFG27NW-10W-M	4000K	940lm	10W	100



E27



220-240V



A+ energy class



15.000h



360°



non-dimmable

0sec

instant full light



Ø60mm x 108mm



normal mini globe



EAN	product code	color temp.	lumen	watt	pcs/#
5999562285800	ABLFMG14WW-4W	2700K	380lm	4W	100
5999562285787	ABLFMG14NW-4W	4000K	390lm	4W	100

E14
 220-240V
 A+ energy class
 15.000h
 360°
 non-dimmable

0sec instant full light
 Ø45mm x 79mm

EAN	product code	color temp.	lumen	watt	pcs/#
5999562285848	ABLFMG27WW-4W	2700K	380lm	4W	100
5999562285824	ABLFMG27NW-4W	4000K	390lm	4W	100

E27
 220-240V
 A+ energy class
 15.000h
 360°
 non-dimmable

0sec instant full light
 Ø45mm x 72mm



frosted mini globe



EAN	product code	color temp.	lumen	watt	pcs/#
5999097909547	ABLFMG14WW-4W-FR	2700K	440lm	4W	100
5999097909523	ABLFMG14NW-4W-FR	4000K	450lm	4W	100

E14
 220-240V
 A+ energy class
 25.000h
 360°
 non-dimmable

0sec instant full light

EAN	product code	color temp.	lumen	watt	pcs/#
5999097909585	ABLFMG27WW-4W-FR	2700K	440lm	4W	100
5999097909561	ABLFMG27NW-4W-FR	4000K	450lm	4W	100

E27
 220-240V
 A+ energy class
 25.000h
 360°
 non-dimmable

0sec instant full light



LED FILAMENT

normal candle



EAN	product code	color temp.	lumen	watt	pcs/#
5999562285763	ABLFC14WW-4W	2700K	380lm	4W	100
5999562285749	ABLFC14NW-4W	4000K	390lm	4W	100

E14

220-240V

A+ energy class

15.000h

360°

non-dimmable

0sec
instant full light

Ø35mm × 100mm

frosted candle



EAN	product code	color temp.	lumen	watt	pcs/#
5999097909462	ABLFC14WW-4W-FR	2700K	440lm	4W	100
5999097909448	ABLFC14NW-4W-FR	4000K	450lm	4W	100

E14

220-240V

A+ energy class

15.000h

360°

non-dimmable

0sec
instant full light

Ø35mm × 100mm

milky candle



EAN	product code	color temp.	lumen	watt	pcs/#
5999097907581	ABLFC14WW-4W-M	3000K	380lm	4W	100
5999097907567	ABLFC14NW-4W-M	4000K	390lm	4W	100

E14

220-240V

A+ energy class

15.000h

360°

non-dimmable

0sec
instant full light

Ø35mm × 100mm



half mirror



These uniquely formed filament LED light sources are perfectly suitable for decoration purposes due to the half mirror coating. Recommended for mostly open plate ceiling lamps and floor lamps. Available in warm white color temperature and 8W wattage.



EAN	product code	color temp.	lumen	watt	pcs/#
5999097909769	ABLFG27WW-8W-HM	2700K	610lm	8W	100

- E27
- 220-240V
- A+ energy class
- 15.000h
- 360°
- non-dimmable
- 0sec
instant full light
- Ø60mm x 108mm



The special LED R50 light sources are complete replacements of conventional or halogen bulbs. Their size and form are identical so economic solutions could be achieved in lighting without compromises. Available in 4W wattage and two color temperatures.

R50



EAN	product code	color temp.	lumen	watt	pcs/#
5999097911960	ABLFR50WW-4W	2700K	410lm	4W	100
5999097911984	ABLFR50NW-4W	4000K	420lm	4W	100

- E14
- 220-240V
- A+ energy class
- 15.000h
- 360°
- non-dimmable
- 0sec
instant full light
- Ø60mm x 108mm



SPECIAL LED FILAMENT

LED filament light sources with special shape and color temperature for decorative purposes. The amber coating and dimmability functions provide a complete replacement solution instead of traditional bulbs in rooms where the lighting also has a mood-creating function. Available G95 sized globe and special ST57 forms, 8W wattage and 2400 K color temperature.

G95 normal



EAN	product code	color temp.	lumen	watt	pcs/#
5999097909684	ABLFG95WW-8W	2700K	800lm	8W	20

- E27
- 220-240V
- A+ energy class
- 25.000h
- 360°
- non-dimmable
- 0sec instant full light
- Ø95mm x 135mm

G95 amber



EAN	product code	color temp.	lumen	watt	pcs/#
5999097909707	ABLFG95WW-8W-DAC	2400K	720lm	8W	20

- E27
- 220-240V
- A+ energy class
- 25.000h
- 360°
- dimmable
- 0sec instant full light
- Ø95mm x 135mm




ST57 normal



EAN	product code	color temp.	lumen	watt	pcs/#
5999097909721	ABLFST57WW-8W	2700K	810lm	8W	100

E27
 220-240V
 A+ energy class
 25.000h
 360°
 non-dimmable
 0sec instant full light
 Ø57mm × 135mm



ST57 amber



EAN	product code	color temp.	lumen	watt	pcs/#
5999097909745	ABLFST57WW-8W-DAC	2400K	720lm	8W	100

E27
 220-240V
 A+ energy class
 25.000h
 360°
 dimmable
 0sec instant full light
 Ø57mm × 135mm

