



LED FLOOD LIGHT

COB

Easy and fast install LED solutions instead of conventional flood lights. Highly cost efficient especially in industrial facilities or under intensive operation. Available in neutral and cold white color temperatures, six wattages and with motion sensor as well.

normal



| EAN | product code | color temp. | lumen | watt | pcs/# |
|---------------|--------------|-------------|---------|------|-------|
| 5999562283004 | ABFLNW-10W | 4000K | 900lm | 10W | 20 |
| 5999562283011 | ABFLNW-20W | 4000K | 1800lm | 20W | 10 |
| 5999562283028 | ABFLNW-30W | 4000K | 2700lm | 30W | 12 |
| 5999562283035 | ABFLNW-50W | 4000K | 4500lm | 50W | 6 |
| 5999562284599 | ABFLNW-80W | 4000K | 5600lm | 80W | 4 |
| 5999562284612 | ABFLNW-100W | 4000K | 9000lm | 100W | 1 |
| 5999562289341 | ABFLNW-150W | 4000K | 13500lm | 150W | 1 |



85-265V



A+ energy class



25.000h



120°



non-dimmable

0sec

instant full light

normal PIR



| EAN | product code | color temp. | lumen | watt | pcs/# |
|---------------|----------------|-------------|--------|------|-------|
| 5999562283042 | ABFLNW-10W-PIR | 4000K | 900lm | 10W | 10 |
| 5999562283059 | ABFLNW-20W-PIR | 4000K | 1800lm | 20W | 10 |
| 5999562284889 | ABFLNW-30W-PIR | 4000K | 2700lm | 30W | 6 |



85-265V



A+ energy class



25.000h



120°



non-dimmable

0sec

instant full light



slim

The compact slim edition LED flood lights have the advantage of aesthetically illuminating any indoor or outdoor venue. They are available in neutral and cold white color temperatures, four wattages and even with infrared sensor.



| EAN | product code | color temp. | lumen | watt | pcs/# |
|---------------|--------------|-------------|--------|------|-------|
| 5999562284353 | ABSFLNW-10W | 4000K | 900lm | 10W | 30 |
| 5999097914220 | ABSFLCW-10W | 6400K | 910lm | 10W | 30 |
| 5999562284360 | ABSFLNW-20W | 4000K | 1800lm | 20W | 15 |
| 5999097914244 | ABSFLCW-20W | 6400K | 1810lm | 20W | 15 |
| 5999562284377 | ABSFLNW-30W | 4000K | 2700lm | 30W | 10 |
| 5999097914268 | ABSFLCW-30W | 6400K | 2710lm | 30W | 10 |
| 5999562284384 | ABSFLNW-50W | 4000K | 4500lm | 50W | 5 |
| 5999097913865 | ABSFLCW-50W | 6400K | 4510lm | 50W | 5 |
| 5999097913889 | ABSFLCW-100W | 6400K | 6000lm | 100W | 5 |



85-265V



A+ energy class



25.000h



120°



non-dimmable

0sec

instant full light





LED FLOOD LIGHT

SMD

The SMD flood lights provide an alternative to traditional flood lights with practical size and modern look. Their compact size and thin housing provide modern application methods. Available in neutral and cold white color temperatures, with several wattages and even with motion sensors.

slim



| EAN | product code | color temp. | lumen | watt | pcs/# |
|---------------|--------------|-------------|--------|------|-------|
| 5999097908908 | ABSSFLNW-10W | 4000K | 800lm | 10W | 40 |
| 5999097914084 | ABSSFLCW-10W | 6400K | 810lm | 10W | 40 |
| 5999097908922 | ABSSFLNW-20W | 4000K | 1600lm | 20W | 20 |
| 5999097914107 | ABSSFLCW-20W | 6400K | 1610lm | 20W | 20 |
| 5999097908946 | ABSSFLNW-30W | 4000K | 2250lm | 30W | 15 |
| 5999097914121 | ABSSFLCW-30W | 6400K | 2260lm | 30W | 15 |
| 5999097908960 | ABSSFLNW-50W | 4000K | 3250lm | 50W | 10 |
| 5999097914145 | ABSSFLCW-50W | 6400K | 3260lm | 50W | 10 |

- 85-265V
- A+ energy class
- 25.000h
- 120°
- non-dimmable
- 0sec instant full light

slim PIR



| EAN | product code | color temp. | lumen | watt | pcs/# |
|---------------|------------------|-------------|--------|------|-------|
| 5999097908984 | ABSSFLNW-10W-PIR | 4000K | 800lm | 10W | 20 |
| 5999097914022 | ABSSFLCW-10W-PIR | 6400K | 810lm | 10W | 20 |
| 5999097909004 | ABSSFLNW-20W-PIR | 4000K | 1600lm | 20W | 15 |
| 5999097914046 | ABSSFLCW-20W-PIR | 6400K | 1610lm | 20W | 15 |
| 5999097909028 | ABSSFLNW-30W-PIR | 4000K | 2250lm | 30W | 10 |
| 5999097914060 | ABSSFLCW-30W-PIR | 6400K | 2260lm | 30W | 10 |


- 85-265V
- A+ energy class
- 25.000h
- 120°
- non-dimmable
- 0sec instant full light



rechargeable



The rechargeable flood lights with built-in batteries provide portable, mobile usage. Brightness levels can be adjusted in two levels so they can provide up to 5 hours of operation. Available in two wattages, in neutral white color temperature. The package includes a stand and the AC charger.



| EAN | product code | color temp. | lumen | watt | adaptor | battery | working time | pcs/# |
|---------------|--------------|-------------|--------|------|--------------|------------------------|-------------------|-------|
| 5999097907086 | ABRFLNW-10W | 4000K | 550lm | 10W | DC5V, 0.5A | 2 db Li-ion 3,7V; 2.4A | 100%/50% 3h/3h/5h | 10 |
| 5999097913681 | ABRFLCW-10W | 6400K | 560lm | 10W | DC5V, 0.5A | 2 db Li-ion 3,7V; 2.4A | 100%/50% 3h/3h/5h | 10 |
| 5999097907109 | ABRFLNW-20W | 4000K | 1000lm | 20W | DC8.4V, 0.5A | 2 db Li-ion 7,4V; 1.5A | 100%/50% 4h/2h/3h | 10 |
| 5999097913704 | ABRFLCW-20W | 6400K | 1010lm | 20W | DC8.4V, 0.5A | 2 db Li-ion 7,4V; 1.5A | 100%/50% 4h/2h/3h | 10 |



85-265V



A+ energy class



25.000h



120°



non-dimmable



0sec instant full light

TRIPOD

single, double

| EAN | product code | max load capacity | material | pcs/# |
|---------------|--------------|-------------------|----------|-------|
| 5999097907123 | ABFLTPOD-S | max. 20kg | steel | 20 |
| 5999097907147 | ABFLTPOD-D | max. 20kg | steel | 20 |

