


# LED INDUSTRIAL LIGHT

# OPTONICA



HIGH LUMEN



90°  
BEAM ANGLE



SAVE 80%  
ENERGY



IP54



**LED INDUSTRIAL LIGHT**  
**HIGH BAY**

**OSRAM**  
**CHIP**



**30W**  
2400  
LUMENS

HB8122 White Light 5700K

**55W**  
4400  
LUMENS

HB8123 White Light 5700K

- SKU No.**
- Watts**
- Input Voltage**
- Flux**
- Beam Angle**
- Light Color**
- CRI**
- IP Rating**
- Life Span**
- Dimension**


### 30W HIGH BAY

### 55W HIGH BAY

SKU No.	HB8122	HB8123
Watts	30W	55W
Input Voltage	AC:220-240V	AC:220-240V
Flux	2400 lm	4400 lm
Beam Angle	90°	90°
Light Color	WH-5700K	WH-5700K
CRI	>70	>70
IP Rating	IP54	IP54
Life Span	25 000 h	25 000 h




φ335x262mm



φ335mm

φ435x295mm



φ435mm


EAN Code 5700K

3800156681224

3800156681231

# LED INDUSTRIAL LIGHT

# OPTONICA



## LED INDUSTRIAL LIGHT HIGH BAY

**OSRAM  
CHIP**

**100W** **10000**  
LUMENS

HB8124 White Light 5700K

**150W** **15000**  
LUMENS

HB8125 White Light 5700K

**200W** **20000**  
LUMENS

HB8127 White Light 5700K

	100W HIGH BAY	150W HIGH BAY	200W HIGH BAY
<b>SKU No.</b>	HB8124	HB8125	HB8127
<b>Watts</b>	100W	150W	200W
<b>Input Voltage</b>	AC:220-240V	AC:220-240V	AC:220-240V
<b>Flux</b>	10000 lm	15000 lm	20000 lm
<b>Beam Angle</b>	60°	60°	60°
<b>Light Color</b>	WH-5700K	WH-5700K	WH-5700K
<b>CRI</b>	>70	>80	>80
<b>IP Rating</b>	IP54	IP54	IP54
<b>Life Span</b>	25 000 h	25 000 h	25 000 h
<b>Dimension</b>	φ402x349mm	φ485x290mm	φ520x379mm



EAN Code 5700K

3800156681248

3800156681255

3800156681279

# LED INDUSTRIAL LIGHT

OPTONICA



HIGH LUMEN



90°

BEAM ANGLE



IP54



## LED INDUSTRIAL LIGHT

### HIGH BAY - UFO

OSRAM  
CHIP



100W

LUMENS

HB8140

White Light

5700K



150W

LUMENS

HB8141

White Light

5700K



200W

LUMENS


HB8126

White Light

5700K

- SKU No.
- Watts
- Input Voltage
- Flux
- Beam Angle
- Light Color
- CRI
- IP Rating
- Life Span
- Dimension

	100W HIGH BAY - UFO	150W HIGH BAY - UFO	200W HIGH BAY - UFO
SKU No.	HB8140	HB8141	HB8126
Watts	100W	150W	200W
Input Voltage	AC:220-240V	AC:220-240V	AC:220-240V
Flux	10000 lm	15000 lm	20000 lm
Beam Angle	90°	90°	90°
Light Color	WH-5700K	WH-5700K	WH-5700K
CRI	>70	>70	>70
IP Rating	IP54	IP54	IP54
Life Span	25 000 h	25 000 h	25 000 h
Dimension	φ300x110mm	φ400x140mm	φ405x160mm



EAN Code 5700K

3800156681408

3800156681415

3800156681262