


LED PANELS



Watts	25W	CRI	>80
Input Voltage	AC:175-265V	IP Rating	IP20
Flux	3000 lm	Life Span	25 000 h
Beam Angle	120°	Dimension	595x595mm



SKU No.

White Light
DL2723 6000K

Neutral White
DL2724 4500K

Warm White
DL2725 2800K

Color temperature

A+
SDCD<6
UGR<19

25W LED PANEL WITH DRIVER PF>0.9

3000 LUMENS	120° BEAM ANGLE	IP20	120lm/W HIGH LUMEN
-----------------------	---------------------------	-------------	------------------------------

EAN Code 6000K 3800156627239

EAN Code 4500K 3800156627246

EAN Code 2800K 3800156627253


SKU No.

White Light
6000K DL2720

Neutral White
4500K DL2721

Warm White
2800K DL2722

Color temperature



A+
SDCD<6
UGR<19

Watts	25W	CRI	>80
Input Voltage	AC:175-265V	IP Rating	IP20
Flux	3000 lm	Life Span	25 000 h
Beam Angle	120°	Dimension	595x595mm



EAN Code 6000K 3800156627208

EAN Code 4500K 3800156627215

EAN Code 2800K 3800156627222

3000 LUMENS	120° BEAM ANGLE	IP20	120lm/W HIGH LUMEN
-----------------------	---------------------------	-------------	------------------------------


25W LED PANEL 6PCS BOX WITH DRIVER PF>0.9

LED PANELS

OPTONICA



Watts	40W	CRI	>80
Input Voltage	AC:175-265V	IP Rating	IP20
Flux	4800 lm	Life Span	25 000 h
Beam Angle	120°	Dimension	595x595mm



SKU No.

White Light
DL2726 6000K

Neutral White
DL2727 4500K

Warm White
DL2728 2800K

Color temperature



A+
UGR<19

40W LED PANEL WITH DRIVER PF>0.9

4800
LUMENS

120°
BEAM ANGLE

IP20

120lm/W
HIGH LUMEN

EAN Code 6000K 3800156627260
EAN Code 4500K 3800156627277
EAN Code 2800K 3800156627284


SKU No.

White Light
6000K DL2388

Neutral White
4500K DL2389

Warm White
2800K DL2390

Color temperature



Watts	25W	CRI	>80
Input Voltage	AC:200-240V	IP Rating	IP20
Flux	1920 lm	Life Span	25 000 h
Beam Angle	120°	Dimension	295x595mm

A+



EAN Code 6000K 3800156623880
EAN Code 4500K 3800156623897
EAN Code 2800K 3800156623903

1920
LUMENS

120°
BEAM ANGLE

IP20


24W LED PANEL WITH DRIVER



LED PANELS



Watts	36W	CRI	>80
Input Voltage	AC:175-265V	IP Rating	IP20
Flux	2880 lm	Life Span	25 000 h
Beam Angle	120°	Dimension	595x595mm



A+

SKU No.

White Light
DL2350 **6000K**

Neutral White
DL2363 **4500K**

Warm White
DL2351 **2800K**

Color temperature

36W LED PANEL WITH DRIVER

2880
LUMENS

120°
BEAM ANGLE

IP20

EAN Code 6000K [3800156623507](#)
 EAN Code 4500K [3800156623637](#)
 EAN Code 2800K [3800156623514](#)

SKU No.

White Light
6000K **DL2356**

Neutral White
4500K **DL2358**

Warm White
2800K **DL2357**

Color temperature



Watts	48W	CRI	>80
Input Voltage	AC:200-240V	IP Rating	IP20
Flux	3840 lm	Life Span	25 000 h
Beam Angle	120°	Dimension	295x1195mm

A+

2 PCS BOX



EAN Code 6000K [3800156623569](#)
 EAN Code 4500K [3800156623583](#)
 EAN Code 2800K [3800156623576](#)

3840
LUMENS

120°
BEAM ANGLE


IP20

48W LED PANEL WITH DRIVER

LED PANELS



Watts	48W	CRI	>80
Input Voltage	AC:200-240V	IP Rating	IP20
Flux	3840 lm	Life Span	25 000 h
Beam Angle	120°	Dimension	595x595mm



SKU No.

White Light
DL2367-S 6000K

Neutral White
DL2368-S 4500K

Warm White
DL2369-S 2800K

Color temperature

48W LED PANEL WITH DRIVER

3840
LUMENS


120°
BEAM ANGLE

IP20

EAN Code 6000K [3800156623675](#)
 EAN Code 4500K [3800156623682](#)
 EAN Code 2800K [3800156623699](#)



Watts	48W	CRI	>80
Input Voltage	AC:200-240V	IP Rating	IP20
Flux	3840 lm	Life Span	25 000 h
Beam Angle	120°	Dimension	595x595mm



SKU No.

White Light
DL2367 6000K

Neutral White
DL2368 4500K

Warm White
DL2369 2800K

Color temperature

48W LED PANEL 2PCS BOX WITH DRIVER

3840
LUMENS

120°
BEAM ANGLE


IP20

EAN Code 6000K [3800156623675](#)
 EAN Code 4500K [3800156623682](#)
 EAN Code 2800K [3800156623699](#)

LED PANELS



	Watts	45W		CRI	>80
	Input Voltage	AC:175-265V		IP Rating	IP20
	Flux	3300-3600 lm		Life Span	25 000 h
	Beam Angle	120°		Dimension	595x595mm



SKU No.


White Light
DL2372 6000K

Neutral White
DL2373 4500K

Warm White
 3300lm **DL2374 2800K**

Color temperature

45W LED PANEL WITH DRIVER PF>0.9



EAN Code 6000K 3800156623729
 EAN Code 4500K 3800156623736
 EAN Code 2800K 3800156623743

SKU No.

White Light
6000K DL2375

Neutral White
4500K DL2376


Warm White
2800K DL2377 3300lm

Color temperature

	Watts	45W		CRI	>80
	Input Voltage	AC:175-265V		IP Rating	IP20
	Flux	3300-3600lm		Life Span	25 000 h
	Beam Angle	120°		Dimension	295x1195mm




EAN Code 6000K 3800156623750
 EAN Code 4500K 3800156623767
 EAN Code 2800K 3800156623774



45W LED PANEL WITH DRIVER PF>0.9



Watts	48W	CRI	>80
Input Voltage	AC:175-265V	IP Rating	IP20
Flux	3840 lm	Life Span	25 000 h
Beam Angle	120°	Dimension	595x595mm



SKU No.

White Light
DL2711 6000K

Neutral White
DL2712 4500K

Warm White
DL2713 2800K

Color temperature



48W LED PANEL WITH DRIVER PF>0.9



LUMENS



BEAM ANGLE



IP20


EAN Code 6000K [3800156623729](#)
 EAN Code 4500K [3800156623736](#)
 EAN Code 2800K [3800156623743](#)

SKU No.

White Light
DL2714 6000K

Warm White
DL2716 2800K

Color temperature



Watts	48W	CRI	>80
Input Voltage	AC:175-265V	IP Rating	IP20
Flux	3840 lm	Life Span	25 000 h
Beam Angle	120°	Dimension	595x595mm



EAN Code 6000K [3800156623750](#)

EAN Code 2800K [3800156623774](#)



LUMENS







BEAM ANGLE



IP20

48W LED PANEL WITH DRIVER PF>0.9





SKU No. AC6013

-  Output voltage 45-65V DC
-  Input Voltage AC:180-265V
-  IP Rating IP20
-  Dimension 140x45x30mm



DIMMABLE DRIVER FOR LED PANEL 48W
710mA 45-63V DC


SKU No. AC6024

-  Output voltage 30-40V DC
-  Input Voltage AC:180-265V
-  IP Rating IP20
-  Dimension 140x45x30mm



DIMMABLE DRIVER FOR LED PANEL 48W
1100mA 30-40V DC

ACCESSORIES FOR HANGING



SKU No. OT5182
Stainless steel cable



SKU No. OT5188
Clips for LED Panel

LED PANEL FRAMES




SKU No. OT5195

 **Dimension** 300x300mm

SKU No. OT5198

 **Dimension** 600x600mm



SKU No. OT5196

 **Dimension** 600x300mm

SKU No. OT5197

 **Dimension** 1200x300mm