



Type LED	3528	Flux per watt	50lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	4.8W/m	IP Rating	IP20
Voltage	DC: 12V	Dimension	5000x8x2mm



A+
4.8W/m

SKU No.	Color :
ST4702	White Light 6000K
ST4703	Neutral White 4500K
ST4704	Warm White 2800K
ST4707	RED
ST4706	GREEN
ST4705	BLUE

LED STRIP 12V

Professional Edition
3528-NON WATERPROOF
60 SMD/m

LED/m

5M - Roll

IP20

Color :	SKU No.
White Light 6000K	ST4710
Neutral White 4500K	ST4740
Warm White 2800K	ST4711

Color temperature

Type LED	3528	Flux per watt	50lm/W
LEDs/m	120 pcs	Beam Angle	120°
Power per meter	9.6W/m	IP Rating	IP20
Voltage	DC: 12V	Dimension	5000x8x2mm

A+
9.6W/m




LED/m

5M - Roll

IP20

LED STRIP 12V

Professional Edition
3528-NON WATERPROOF
120 SMD/m



LED STRIPS



Type LED	3528	Flux per watt	50lm/W
LEDs/m	204 pcs	Beam Angle	120°
Power per meter	16.5W/m	IP Rating	IP20
Voltage	DC: 12V	Dimension	5000x10x2mm



A+

16.5W/m

SKU No.	Color :
ST4761	White Light 6000K
ST4762	Neutral White 4500K
ST4763	Warm White 2800K

Color temperature

LED STRIP 12V

Professional Edition
3528-NON WATERPROOF
204 SMD/m

204
LED/m

5M - Roll

IP20



Type LED	5050	Flux per watt	100lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	14.4W/m	IP Rating	IP20
Voltage	DC: 12V	Dimension	5000x12x2mm

A+

14.4W/m



SKU No.	
ST4313	White Light 6000K
RGB+WH	

LED STRIP 12V

Professional Edition
5050-NON-WATERPROOF
60 SMD/m RGB

60
LED/m

5M - Roll

IP20

SKU No.	
ST4314	Warm White 2800K
RGB+WW	

LED STRIPS



Type LED	5050	Flux per watt	70lm/W
LEDs/m	30 pcs	Beam Angle	120°
Power per meter	7.2W/m	IP Rating	IP20
Voltage	DC: 12V	Dimension	5000x10x2mm

SKU No. **ST4311**

RGB



A+

7.2W/m

LED STRIP 12V

Professional Edition

5050 NON - WATERPROOF
30 SMD/m RGB



LED/m



5M - Roll



IP20

SKU No. **ST4315**

RGB



Type LED	5050	Flux per watt	70lm/W
LEDs/m	30 pcs	Beam Angle	120°
Power per meter	7.2W/m	IP Rating	IP54
Voltage	DC: 12V	Dimension	5000x10x2.5mm

LED STRIP 12V

Professional Edition

5050-WATERPROOF
30 SMD/m RGB

A+

7.2W/m



LED/m











5M - Roll



IP54





 Type LED	5050	 Flux per watt	70lm/W
 LEDs/m	60 pcs	 Beam Angle	120°
 Power per meter	14.4W/m	 IP Rating	IP20
 Voltage	DC: 12V	 Dimension	5000x10x2mm

SKU No. **ST4312**

RGB



A+

14.4W/m

LED STRIP 12V

Professional Edition

**5050 NON -WATERPROOF
60 SMD/m RGB**



LED/m



5M - Roll











IP20

SKU No. **ST4316**

RGB



 Type LED	5050	 Flux per watt	70lm/W
 LEDs/m	60 pcs	 Beam Angle	120°
 Power per meter	14.4W/m	 IP Rating	IP54
 Voltage	DC: 12V	 Dimension	5000x10x2.5mm

LED STRIP 12V

Professional Edition

**5050-WATERPROOF
60 SMD/m RGB**

A+

14.4W/m



LED/m



5M - Roll



IP54



LED STRIPS



Type LED	3528	Flux per watt	50lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	4.8W/m	IP Rating	IP54
Voltage	DC: 12V	Dimension	5000x8x2.5mm



A+
4.8W/m

SKU No.	Color :
ST4732	White Light 6000K
ST4731	Neutral White 4500K
ST4733	Warm White 2800K
ST4734	RED
ST4735	GREEN
ST4736	BLUE


LED STRIP 12V

Professional Edition

3528-WATERPROOF
60 SMD/m



Color : SKU No.



Type LED	3528	Flux per watt	50lm/W
LEDs/m	120 pcs	Beam Angle	120°
Power per meter	9.6W/m	IP Rating	IP54
Voltage	DC: 12V	Dimension	5000x8x2.5mm

A+
9.6W/m



LED STRIP 12V

Professional Edition

3528-WATERPROOF
120 SMD/m



LED STRIPS



Type LED	5050	Flux per watt	50lm/W
LEDs/m	30 pcs	Beam Angle	120°
Power per meter	7.2W/m	IP Rating	IP20
Voltage	DC: 12V	Dimension	5000x10x2mm

SKU No. Color :

ST4801

White Light
6000K

ST4800

Neutral White
4500K

ST4802

Warm White
2800K

Color temperature



A+
7.2W/m

LED STRIP 12V

Professional Edition

5050-NON WATERPROOF
30 SMD/m



LED/m



5M - Roll



IP20

Color: SKU No.

White Light 6000K	ST4807
Neutral White 4500K	ST4827
Warm White 2800K	ST4808
RED	ST4823
BLUE	ST4825

Type LED	5050	Flux per watt	50lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	14.4W/m	IP Rating	IP20
Voltage	DC: 12V	Dimension	5000x10x2mm

LED STRIP 12V

Professional Edition

5050-NON WATERPROOF
60 SMD/m

A+

14.4W/m



LED/m



5M - Roll



IP20



LED STRIPS



Type LED	5050	Flux per watt	50lm/W
LEDs/m	30 pcs	Beam Angle	120°
Power per meter	7.2W/m	IP Rating	IP54
Voltage	DC: 12V	Dimension	5000x10x2.5mm

SKU No.	Color :
ST4809	White Light 6000K
ST4811	Neutral White 4500K
ST4810	Warm White 2800K

Color temperature



A+
7.2W/m

LED STRIP 12V

Professional Edition
5050-WATERPROOF
30 SMD/m

LED/m

5M - Roll

IP54

Color : **SKU No.**

White Light 6000K	ST4839
Neutral White 4500K	ST4841
Warm White 2800K	ST4840

Color temperature

Type LED	5050	Flux per watt	50lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	14.4W/m	IP Rating	IP54
Voltage	DC: 12V	Dimension	5000x10x2.5mm

LED STRIP 12V

Professional Edition
5050-WATERPROOF
60 SMD/m

A+
14.4W/m



LED/m

5M - Roll

IP54



LED STRIPS



Type LED	3014	Flux per watt	70lm/W
LEDs/m	120 pcs	Beam Angle	120°
Power per meter	12W/m	IP Rating	IP20
Voltage	DC: 12V	Dimension	5000x8x2mm

SKU No. Color :

ST4901 White Light
6000K

ST4903 Neutral White
4500K

ST4902 Warm White
2800K

Color temperature



A+
12W/m

LED STRIP 12V Professional Edition 3014-NON WATERPROOF 120 SMD/m

120 LED/m	5M - Roll	IP20
--------------	-----------	------

Color : SKU No.

White Light
6000K ST4911

Neutral White
4500K ST4913

Warm White
2800K ST4912

Color temperature

Type LED	5630	Flux per watt	70lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	12W/m	IP Rating	IP20
Voltage	DC: 12V	Dimension	5000x10x2mm

LED STRIP 12V Professional Edition 5630-NON WATERPROOF 60 SMD/m

A+
12W/m



60 LED/m	5M - Roll	IP20
-------------	-----------	------



LED STRIPS



Type LED	2835	Flux per watt	105lm/W
LEDs/m	196 pcs	Beam Angle	120°
Power per meter	20W/m	IP Rating	IP20
Voltage	DC: 24V	Dimension	5000x12x2mm

SKU No.	Color :
ST4421	White Light 6000K
ST4422	Neutral White 4500K
ST4423	Warm White 2800K

Color temperature

A+
20W/m
DC: 24V

CRI 80+

LED STRIP 24V

3 YEARS WARRANTY
2835-NON-WATERPROOF
196 SMD/m

2100 Lumens/M

196 LED/m

5M - Roll

IP20

Color : **SKU No.**

White Light 6000K	ST4451
Neutral White 4500K	ST4452
Warm White 2800K	ST4453

Color temperature

Type LED	2835	Flux per watt	105lm/W
LEDs/m	196 pcs	Beam Angle	120°
Power per meter	20W/m	IP Rating	IP54
Voltage	DC: 24V	Dimension	5000x12x2.5mm

A+
20W/m
DC: 24V

CRI 80+

2100 Lumens/M

196 LED/m

5M - Roll

IP54

LED STRIP 24V

3 YEARS WARRANTY
2835-WATERPROOF
196 SMD/m



LED STRIPS



Type LED	5054	Flux per watt	70lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	16W/m	IP Rating	IP20
Voltage	DC: 24V	Dimension	5000x10x2mm

SKU No.	Color :
ST4431	White Light 6000K
ST4432	Neutral White 4500K
ST4433	Warm White 2800K

Color temperature

A+
16W/m
DC: 24V



LED STRIP 24V

3 YEARS WARRANTY
5054-NON-WATERPROOF
60 SMD/m

1120 Lumens/ M	60 LED/m	5M - Roll	IP20
-------------------	-------------	-----------	------

Color : **SKU No.**

White Light 6000K	ST4461
Neutral White 4500K	ST4462
Warm White 2800K	ST4463

Color temperature

Type LED	5054	Flux per watt	70lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	16W/m	IP Rating	IP54
Voltage	DC: 24V	Dimension	5000x10x2.5mm

LED STRIP 24V

3 YEARS WARRANTY
5054-WATERPROOF
60 SMD/m

A+
16W/m
DC: 24V



1120 Lumens/ M	60 LED/m	5M - Roll	IP54
-------------------	-------------	-----------	------

LED STRIPS



Type LED	3528	Flux per watt	50lm/W
LEDs/m	120 pcs	Beam Angle	120°
Power per meter	9.6W/m	IP Rating	IP20
Voltage	DC: 24V	Dimension	5000x10x2mm

SKU No. Color :

ST4856

White Light
6000K

ST4857

Neutral White
4500K

ST4858

Warm White
2800K

Color temperature



A+
9.6W/m
DC: 24V

LED STRIP 24V

Professional Edition
3528-NON-WATERPROOF
120 SMD/m



LED/m



5M - Roll



IP20

Color : SKU No.

White Light
6000K

ST4851

Neutral White
4500K

ST4850

Warm White
2800K

ST4852

Color temperature

Type LED	5050	Flux per watt	50lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	14.4W/m	IP Rating	IP20
Voltage	DC: 24V	Dimension	5000x10x2mm

LED STRIP 24V

Professional Edition
5050-NON-WATERPROOF
60 SMD/m

A+
14.4W/m
DC: 24V



LED/m



5M - Roll



IP20



LED STRIPS



Type LED	5050	Flux per watt	50lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	14.4W/m	IP Rating	IP54
Voltage	DC: 24V	Dimension	5000x10x3mm



A+
14.4W/m
DC: 24V

SKU No. Color :

ST4853 White Light **6000K**

ST4854 Neutral White **4500K**

ST4855 Warm White **2800K**

Color temperature

LED STRIP 24V

Professional Edition
5050 - WATERPROOF
60 SMD/m

60
LED/m

5M - Roll

IP54

LED STRIP 24V

3 YEARS WARRANTY
Warm to Cool White CCT Adjustable
5025 - 60 SMD/m

Type LED	5025	Flux per watt	130lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	6W/m	IP Rating	IP20 : IP54
Voltage	DC: 24V	Dimension	5000x10x2mm



3 YEARS WARRANTY

A+
6W/m
DC: 24V

CRI 80+

800
Lumens/ M

60
LED/m

5M - Roll

SKU No. ST4441 **IP20**

2800k to 6000K Adjustable CT

SKU No. ST4471 **IP54**

2800k to 6000K Adjustable CT

LED STRIPS



Type LED	5050 4in1	Flux per watt	100lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	6W/m	IP Rating	IP20
Voltage	DC: 24V	Dimension	5000x12x2mm

SKU No.

ST4481



RGB+WH

LED STRIP 24V
3 YEARS WARRANTY
NON-WATERPROOF
60 SMD/m RGB

A+
6W/m
DC: 24V



SKU No.

ST4482



RGB+WW



SKU No.


ST4483

RGB+WH

Type LED	5050 4in1	Flux per watt	100lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	6W/m	IP Rating	IP54
Voltage	DC: 24V	Dimension	5000x12x3mm

LED STRIP 24V
3 YEARS WARRANTY
WATERPROOF
60 SMD/m RGB

A+
6W/m
DC: 24V




SKU No.

ST4484

RGB+WW





Type LED	5050	Flux per watt	50lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	14.4W/m	IP Rating	IP20
Voltage	DC: 24V	Dimension	5000x10x2mm

SKU No. **ST4861**

RGB



A+
14.4W/m
DC: 24V



LED STRIP 24V

Professional Edition
NON-WATERPROOF
60 SMD/m RGB



LED/m



5M - Roll



IP20

SKU No. **ST4862**

RGB



Type LED	5050	Flux per watt	50lm/W
LEDs/m	60 pcs	Beam Angle	120°
Power per meter	14.4W/m	IP Rating	IP54
Voltage	DC: 24V	Dimension	5000x10x3mm

LED STRIP 24V

Professional Edition
WATERPROOF
60 SMD/m RGB

A+
14.4W/m
DC: 24V



LED/m



5M - Roll



IP54

LED STRIPS 220V



Type LED	5730	Flux per watt	50lm/W
LEDs/m	120 pcs	Beam Angle	120°
Power per meter	10W/m	IP Rating	IP44
Voltage	AC: 220V	Dimension	5000x10x2mm

SKU No. Color :

ST4611

White Light
6000K



ST4612

Warm White
2800K

Color temperature

A+

10W/m
AC: 220-240V

LED STRIP 220V

LED Strip 5730 220V
120 SMD/m



LED/m



50M - Roll



IP44

SKU No. AC6631

POWER CORD 220V STRIP
CABLE + CONNECTOR + PLUG



SKU No. AC6633

Middle connector for LED Strip 220V



SKU No. AC6632

LED Strip 220V FIXING



LED FLEX NEON



- Type LED 2835
- LEDs/m 120 pcs
- Power per meter 8.5W/m
- Voltage AC: AC220-240V
- Beam Angle 120°
- IP Rating IP44
- Dimension 5000x6x2mm



SKU No.	Color :
ST4581	White Light 6000K
ST4580	Neutral White 4500K
ST4582	Warm White 2800K
ST4584	RED
ST4585	GREEN
ST4583	BLUE
ST4587	YELLOW
ST4586	AMBER
ST4588	PINK
ST4589	RGB

LED FLEX NEON 220V

LED Strip 2835 220V
120 SMD/m



A+
8.5W/m
AC:220-240V

SKU No. AC6635
Power Connector
NEON FLEX Single color



SKU No. AC6638
Power Connector FLEX-NEON RGB

SKU No. AC6636
Aluminum Rail-Single color



SKU No. AC6639
Aluminum Rail-RGB

SKU No. AC6637
End cap for Single color Neon Flex



SKU No. AC6640
End cap for RGB NEON-FLEX


SKU No. AC6634
Splicer connector
Single color neon flex



LED STRIPS



- Type LED 2835
- LEDs/m 60 pcs
- Power per meter 7.2W/m
- Voltage DC: 12V
- Beam Angle 120°
- IP Rating IP20
- Dimension 5000x6x2mm



- | SKU No. | Color : |
|---------|----------------------|
| MO4541 | White Light
6000K |
| MO4542 | Warm White
3000K |
| MO4543 | RED |
| MO4545 | GREEN |
| MO4544 | BLUE |

S-Type LED STRIP 12V

Bendable
2835-NON-WATERPROOF
60 SMD/m




A+
7.2W/m
DC: 12V

S-Type LED STRIP 12V

Bendable
2835-WATERPROOF
60 SMD/m



- Type LED 2835
- LEDs/m 60 pcs
- Power per meter 7.2W/m
- Voltage DC: 12V
- Beam Angle 120°
- IP Rating IP65
- Dimension 5000x6x3mm



- | SKU No. | Color : |
|---------|----------------------|
| MO4551 | White Light
6000K |
| MO4552 | Warm White
3000K |
| MO4553 | RED |
| MO4555 | GREEN |
| MO4554 | BLUE |



A+
7.2W/m
DC: 12V